CLIENT'S MATERIAL FACT SHEET

Due to availability or ensuring correct colour match of materials, clients may find it necessary to send material to LUXUL. Tambour Doors manufactured from Client's Material are charged at a 40% surcharge on MDF pricing.

This pricing includes road freight costs to Brisbane. Add 15% surcharge for Vertical grain and 15% for Gloss finish.

The 3 piece Pelmet Surround, as supplied by Luxul, is not available with Client's material.

Calculation of Material Quantity required for your order.

SOLID TIMBER

We require Timber to be supplied rough sawn - 25 mm or thicker.

HEIGHT - Multiply the height required by .75 e.g. 587 mm high X .75 = 440 mm in 25 mm usable board.

The 440 mm is measured across the combined width of the flat timber and can be made up from boards in varying widths [100 mm, 150 mm, etc.]

WIDTH - Add 100 mm to the width required. e.g. 920 mm wide + 100 = 1020 mm minimum.

So, for a Tambour Door 587 mm high by 920 mm wide, material required is approximately 1020 mm long by 440 mm wide by 25 mm thick.

HANDLE - Already included in HEIGHT calculation.

NOTE:- Our machines require a minimum length of 1200 mm, therefore, if the Tambour Door is less than 650 mm wide, double the width, add 100 mm, and halve the height.

DECORATIVE MDF MR BOARD

HEIGHT - Multiply the height required by 1.4 e.g. 587 mm high X 1.4 = 822 mm.

WIDTH - Minimum Width is 1200, add 100mm to width for anything over 1200

So, for a Tambour Door 587 mm high by 920 mm wide, material required is approximately 820 mm long by 1200 wide with the GRAIN either horizontal or vertical as required.

Please mark clearly which side is the face

HANDLE - Handles can not be manufactured from board!!

Alternative 1 You supply your preferred Laminate or Vinyl as detailed in Laminate & Vinyls section of this fact sheet.

2 Accept closest match of Laminate/Vinyl that Luxul can supp

3 Luxul can supply a square aluminum handle in clear anodised, black gloss or brushed stainless finishes.

4 No Handle required.

Please note your preference in Special Instructions.

NOTE:- Our machines require a minimum length of 1200 mm, therefore, even if the slat length is less than 650 mm, 1200 mm minimum width will have to be supplied.

NOTE:- All board material must be MR MDF - Luxul will not manufacture Tambour Doors from HMR board nor return the material you sent.

ALL TIMBER VENEERS, LAMINATES & VINYLS.

HEIGHT - Multiply the height required by 1.4 e.g. 587 mm high X 1.4 = 822 mm.

WIDTH - Add 100 mm to the width required. e.g. 920 mm wide + 100 = 1020 mm minimum.

So, for a Tambour Door 587 mm high by 920 mm wide, material required is approximately 820 mm long by 1020 mm wide with the GRAIN either horizontal or vertical as required.

Please mark clearly which side is the face.

HANDLE Width plus 100 mm by 170 mm high.
e.g. 920 mm wide = 1020 mm minimum by 170 mm wide.

Backing grain to run length-ways [1020 mm].

So, for a Tambour Door 587 mm high by 920 mm wide, material required is approximately 170 mm long by 1020 mm wide with the GRAIN running the 1020 mm length. This is in addition to the 820 mm by 1020 mm for the Tambour Door itself.

NOTE:- To manufacture Post Formed Handle [for Veneers, Laminates & Vinyls] material supplied for Handle must be horizontal GRAIN - even if a vertical grain Tambour Door is required.

NOTE:- ALL Veneers must be supplied either fleece backed or paper backed lay-ons.

Send your material sandwiched between 2 boards – do not send as a roll. If the material is board, the face side of the board must be protected with another board - bubble wrap is not good enough.

Label the package with this address:-LUXUL

235 ORCHARD ROAD, RICHLANDS. QLD 4079

WHEN MATERIAL IS PROPERLY PACKAGED, phone Luxul on 1300 669 277 to arrange pick-up.

Futile collection charge of \$35 will apply if package is not ready or your premises were closed during normal business hours.

LUXUL is not responsible for any defects, nor freight damage, to the material you send.



THE CLEVER CLOSURE